

CUD

cube

COMPACT

EMISSION FREE

LIGHT-WEIGH

SERVICING FUTURE MOBILITY. MOBILE!

COMMERCIAL

VIDEO

FULLY EOUIPPED

回新常识

۵ý

Cube

Possible vehicle

configuration VW Crafter L4H2 2018

780 mm

<u>cube</u>

cube

i evy 🗐

onfiguration o

rcedes Vito

- Requires just 1.1m² of floor space
- Lightweight
- Massive cost savings on idling engine
- No disturbing noise or fumes
- Remote monitoring, software updates and troubleshooting
- Cold climate? Doors closed full functionality
- Specifically designed for mobile service market
- Compact dimensions and modular design allow for flexible installation
- Temperature controlled 48V Lithium powerbank starting from 2.6 kWh
- Works on a wide range of tire sizes
- Guarantees workshop quality on your customer's driveway
- Easy to (de)install (no drilling required)
- Easy to operate
- NIOSH recommended working height
- AC/DC & 12V DC/DC charging solar optional
- Service friendly
- The heart of your mobile service platform
- Bring the WOW factor to your customer
- Preferred choice of various international car & tire manufacturers and their networks
- Designed, engineered & manufactured in The Netherlands

WHY ECUBE'S BATTERY POWERED SYSTEM?

GENERATOR PTO SYSTEM		ECUBE BATTERY SYSTEM
X	NOISE POLLUTION	OPERATOR FRIENDLY
X	AIR POLLUTION	WORK 'INDOOR' - ENCLOSED PARKING / UNDERGROUND PARKING
X	FOSSIL FUEL FREE	STOP BURNING EXPENSIVE FUEL!
X	COMPACTNESS	HIGHLY COMPACT AND EASY TO (DE) INSTALL
X	LIGHTWEIGHT	30% LIGHTER
X	YEARLY MAINTENANCE	CELLS ARE MAINTENANCE FREE FOR THE FIRST 5 YEARS
X	MODULAR/EXPANDABLE	INCREASE POWER WHEN YOUR BUSINESS GROWS/TRANSFORMS
X	(OPTIONAL) EV CHARGING (WITH ISOLATOR)	EXTEND YOUR SERVICES - CONQUEST NEW CUSTOMERS
X	LONG LIFE	✓ >3000 CYCLES
X	PURE SINE WAVE INVERTER	ALLOWING SENSITIVE APPLIANCES TO BE CHARGED/OPERATED



YOU ARE **IN-CONTROL TECHNOLOGY** (INTERNATIONAL PATENTS PENDING) One machine! Two operation methods - **LEVER OR LEVERLESS!**






As mobile tire servicing and mobile car servicing become more and more popular throughout Europe, North America and Asia, innovation in how these modern workshops on wheels operate must keep up. Our ecube does just that. It is **emission free**, **lightweight**, **compact** and it benefits from a **modular design** to ensure that ecube **easily fits in any vehicle or trailer**.

With ecube using a minimum of floorspace, it becomes possible to haul more tires, tools and equipment. Thus, ensuring more profitable stops and 'no need to return' service jobs.

As operator, you work in a comfortable environment all year round. ecube uses a temperature controlled lithium battery bank, developed and manufactured in-house. This eliminated fumes and noise pollution that traditional generators are known for. As a result of that you continue to work inside your vehicle, with all doors fully closed, when weather conditions are harsh.

Despite its compact dimensions, ecube makes no compromises on functionality and robustness. It changes tires from **10 to 24 inches** with 40 inches as maximum wheel diameter. We offer a large range of accessories around ecube and upgrades to ecube. Our **in-control system** (international patents pending), making your ecube **both a lever and leverless machine**, is just one of them.



IN-CONTROL




WHATEVER CONFIGURATION, WHATEVER VEHICLE OR TRAILER **ECUBE - DOES FIT!**



⊚cube \\ ECUBE-EQUIPMENT.COM

©cubemax





FEATURES

- WEIGHT: 280 KG (tire changer/lower frame with compressor) • MAX. HEIGHT: 1835 MM
- FLOORSPACE: 1.1 M²
- PERFORMANCE: UP TO 80 TIRES (FULLY SERVICED WHEN 100% CHARGED)

INCLUDES

- 10 24" (max. wheel diameter 43")
- 48V / 5.4 kWh temparature controlled
- AC/DC, DC/DC charging
- 2 helper arms and **IN-CONTROL operation** (international patents pending)
- 40L aluminum tank (Certified)
- · Industrial compressor 8 10 Bar
- 2000W / 6000W industrial inverter
- Includes soft start and turtle mode kit
- Includes touchscreen and camera kit (remote support, operator videos, control switch system test, customized screen)
- PCL digital inflating system
- Adjustable turntable height
- Tire lever, elube and more

OPTIONAL

- Detach remote foot controller
- Solar charging

BALANCER

- · 2D Motorized model with Haweka Centering (up to 26")
- Weight (including accessories): 50 KG
- Optional: Laserline and auto positioning


POWERBOX

• Weight: starting from 48 KG As we design and manufacture our own powerboxes there's always a power & air solution that meets your specific requirements. This relates to both performance and charging needs. Challenge us!















FEATURES

• WEIGHT:	230 KG (tire changer/lower frame with compressor)	
• MAX. HEIGHT	1482,6 MM	
• FLOORSPACE	: 1.1 M ²	
• PERFORMAN	CE: UP TO 40 TIRES (FULLY SERVICED WHEN 100% CHARGED)	
5	 INCLUDES 10 - 24" (max. wheel diameter 43") 48V / 2.6 kWh temparature controlled AC/DC or DC/DC charging 40L aluminum tank (Certified) Industrial compressor 8 - 10 Bar 500W industrial inverter installed in battery box (only with AC/DC charging configuration) Analogic handheld inflator Adjustable turn table height Tire lever and elube 	
	 OPTIONAL Standard helper arm Second helper arm with IN-CONTROL operation (international patents pending) Detach remote foot controller Soft start and turtle mode kit Touchscreen and camera kit (remote support, operator videos, control switch system test, customized screen) PCL digital inflating system Solar charging 	
e .	 BALANCER Hand spin model with Haweka Centering (up to 26") Weight (including accessories): 60 KG Optional: 2D Motorized model with Haweka Centering (up to 26") 	
<i>c</i>	 POWERBOX Weight: starting from 48 KG As we design and manufacture our own power- 	

As we design and manufacture our own pow boxes there's always a power & air solution that meets your specific requirements. This relates to both performance and charging needs. Challenge us!



©cube \\ ECUBE-EQUIPMENT.COM

Cube WE DESIGN, WE BUILD, WE PROGRAM, WE MONITOR POWER BOXES

INVERTER BOX

MAX STANDARD	MAX PERFORMANCE
2000W	6000W
50 / 60 Hz	50 / 60 Hz
110 / 230V	230V

Easy-slide grip

Aluminum housing

Isolation watcher (OPTIONAL)


Using power outside the van safely

4 Sockets - 2 front, 2 back (customizable)

Compact dimensions: 190 x 690 x 470mm (LxWxH)


Integrated EV charger with outlet type 2 (OPTIONAL)

BATTERY BOX





MORE POWER? ADD OR STACK & CONNECT ∞











STANDARD	EXTENDED
2,6 kWh	5,6 kWh
48V	48V

- Easy-slide grip
- LCD voltage, current SOC cell voltages
- Includes 4-year online connectivity ensuring monitoring
- Solar input
- LFP long life
- Compact dimensions: 190 x 690 x 470mm ((LxWxH)
- Smart DC/DC alternator input 12V
- Aluminum housing
- Pre-heating technology ensures maximum performance in cold climates. Operating range: -25°C ~ 55°C

MORE CAPACITY? ADD OR STACK & CONNECT ∞



©cube TOOLS, LIFTING, CENTERING, LUBRICATION, CHARGING - ACCESSORIES

We offer an ever-growing, comprehensive range of quality tools and accessories which provide you with all you need to be able to grow and manage your mobile business.

Contact us for the full range

SUPER FLEXIBLE, **ULTRA-THIN & ULTRA-**LIGHT SOLAR PANEL 360W (200 X 100 CM)





















©сиреткиск

The next, emission free, low noise, all-in-1 mobile tire service solution for bus and (light) truck wheels up to 26"

Launching ecube's etower and GEN1MTS26

The next, emission free, low noise, all-in-1 mobile tire service solution for bus and (light) truck wheels up to 26". etower includes a high capacity lithium battery bank and benefits from high speed AC/DC, DC/DC and (optional) solar charging. etower also includes a high output, screw compressor that reaches up to 12 bars.

A fully charged etower ensures 30 wheels being fully serviced (demount/mount/balance). Charging etower from 0-100% costs less than 5 Euro! How much fuel do you currently burn per hour? What about maintenance cost and downtime? We think we can do better. In fact we're pretty sure!



©cube \\ ECUBE-EQUIPMENT.COM

SERVICING FUTURE MOBILITY SERVING TOMORROW'S CUSTOMER

